

CoreLine Recessed

RC120B LED27S/840 PSU W30L120

RC120B - 2 pcs - LED Module, system flux 2700 lm -
Power supply unit - -

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Recessed range of LED products can be used to replace functional luminaires in general lighting applications. The process of selecting, installing and maintaining is so easy – it's a simple switch.

PHILIPS

Product data

• General Information

Product Family Code	RC120B [RC120B]
Number of light sources	2 [2 pcs]
Lamp family code	LED27S [LED Module, system flux 2700 lm]
Light source color	840 neutral white
Driver/power unit/transformer	PSU [Power supply unit]
Emergency lighting Connection	No [-] PIP [Push-in connector and pull relief]
Cable	-
Protection class IEC	Safety class I (I)
Glow-wire test	850/30 [Temperature 850 °C, duration 30 s]
Flammability mark	F [For mounting on normally flammable surfaces]
Safety device	SC [Safety cable]
CE mark	CE mark
ENEC mark	ENEC mark

• Operating and Electrical

Input Voltage	220 to 240 V
Input Frequency	50-60 Hz

• Temperature

Average ambient temperature	+25 °C
-----------------------------	--------

• Mechanical and Housing

Geometry	W30L120 [Width 0.30 m, length 1.20 m]
----------	--

• Approval and Application

Ingress protection code	IP20 [Finger-protected]
Mech. impact protection code	IK02 [0.2 J standard]

• Initial Performance (IEC Compliant)


Init. Corr. Color Temperature	4000 K
-------------------------------	--------

• Application Conditions

Ambient temperature range	+10 to +25 °C
---------------------------	---------------

• Product Data

Full product code	871794389758200
Order product name	RC120B LED27S/840 PSU W30L120
EAN/UPC - Product	8717943897582
Order code	910925863270
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	1
Material Nr. (12NC)	910925863270
Net Weight (Piece)	2.700 kg



© 2016 Koninklijke Philips N.V. (Royal Philips)
All rights reserved.

Specifications are subject to change without notice. Trademarks are the property of Koninklijke Philips N.V. (Royal Philips) or their respective owners.

www.philips.com/lighting

2016, January 28
data subject to change